DDDDDDDDDDD		RRRRRRRRRRR					EEEEEEEEEEEEE		
		RRRRRRRRRRRR RRRRRRRRRRRR			VVV	VVV EEEEEEEEEEEEE		RRRRRRRRRRRR RRRRRRRRRRRR	
				111111111	VVV	VVV	EEEEEEEEEEEE		
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRRRR	RRRRRRR	111	VVV	VVV	EEEEEEEEEEE	RRRR	RRRRRRRR
DDD	DDD	RRRRR	RRRRRRR	İİİ	ÝVV	VVV	EEEEEEEEEEE	RRRRR	RRRRRRRR
DDD	DDD	RRRRR	RRRRRRR	ĬĬĬ	VVV	ŸŸŸ	EEEEEEEEEE		RRRRRRRR
DDD	DDD	RRR	RRR	ĬĬĬ	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	İİİ	ΫVV	VVV	ĒĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	ĬĬĬ	VVV	ŸŸŸ	ĒĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	iii	VVV	VVV	ĒĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	iii	ŸŸŸ	ΫΫΫ	ĔĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	iii	ŸŸŸ	ΫΫΫ	ĒĒĒ	RRR	RRR
DDDDDDDDDD		RRR	RRR	111111111		/V	ÈÈÈEEEEEEEEEE	RRR	RRR
DDDDDDDDDD		RRR	RRR	iiiiiiiii		ŽŽ	EEEEEEEEEEEEE	RRR	RRR
DDDDDDDDDD		RRR	RRR	iiiiiiiii		/V	EEEEEEEEEEEEEE	RRR	RRR
		*****	******		•	•		••••	

XX	XX	GGGGGGGG	DDDDDDDD	RRR	RRRRR	111111	VV	VV	EEEEEEEEE	RRRR	RRRR	
XX	XX	<i></i>	DDDDDDDD	RRR	RRRRR	111111	٧V	VV	EEEEEEEEE	RRRR	RRRR	
XX	XX	GG	DD DD	RR	RR	11	VV	VV	ĒĒ	RR	RR	
XX	XX	GG	DD DD	RR	RR	11	VV	VV	ĒĒ	RR	RR	
XX	XX	GG	DD DD	RR	RR	11	VV	VV	ĒĒ	RR	RR	
XX	XX	GG	DD DD	RR	RR	11	VV	VV	ĒĒ	RR	RR	
X		GG	DD DD	RRR	RRRRR	11	VV	٧V	EEEEEEEE	RRRR	RRRR	
X		GG	DD DD	RRR	RRRRR	11	VV	VV	EEEEEEE	RRRR	RRRR	
XX	XX	00000G	DD DD	RR	RR	11	VV	٧V	EE	RR	RR	
XX	XX	GG GGGGGG	DD DD	RR	RR	11	VV	VV	EE		RR	
XX	XX	GĢ GG	DD DD	RR	RR	II	VV	VV	EE	RR	RR	
XX	XX	GG GG	DD DD	RR	RR	11	VV	VV	EE	RR	RR	
XX	XX	GGGGGG	DDDDDDDD	RR	RR	111111	VV		EEEEEEEEE	RR	RR	
XX	XX	GGGGG	DDDDDDDD	RR	RR	111111	VV		EEEEEEEEE	RR	RR	• • • •

L 10 16-SEP-1984 04:38 VAX-11 Linker V04-00

Page 1

. Object Module Synopsis .

Module Name	Ident	Bytes	File		Creation Date	Creator
		• • • • •				
XGDRIVER	v04-000	9707	_\$255\$DUA28:	[DRIVER.OBJ]DRIVER.OLB;1	16-SEP-1984 00:43	VAX/VMS Macro V04-00
DDCMP	V04-000	4636	_\$255\$DUA28:	[DRIVER.OBJ]DRIVER.OLB; 1	16-SEP-1984 00:50	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:	[SYSOBJ]SYS.STB:1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYS\$10DEF	v04-000	0	_\$255\$DUA28:	[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00

_\$255\$DUA28:[DRIVER.OBJ]XGDRIVER.EXE;1

M 10 16-SEP-1984 04:38

VAX-11 Linker V04-00

Page 2

! Image Section Synopsis !

Cluster Type Pages Base Addr Disk VBN PFC Protection and Paging Global Sec. Name Match Majorid Minorid

DEFAULT_CLUSTER 2 29 00000000 2 O READ WRITE COPY ON REF

Key for special characters above:

R - Relocatable P - Protected

_\$255\$DUA28:[DRIVER.OBJ]XGDRIVER.EXE;1

N 10 16-SEP-1984 04:38 VAX-11 Linker V04-00

! Program Section Synopsis!

Psect Name	Module Name	Base	End	Length	Align	Attributes			
\$\$\$105_PROLOGUE	XGDRIVER	00000000	0000006D 0000006D	0000006E (110.) BYTE O NOPIC, L	JSR, CON, REL, LCL, NOSHR,	EXE,	RD,	WRT, NOVEC
\$\$\$115_DRIVER	XGDRIVER	00000070 00000070	000025EC	0000257D (0000257D (9597.) LONG 2 NOPIL, L 9597.) LONG 2	JSR,CON,REL,LCL,NOSHR,	EXE,	RD,	WRT, NOVEC
. BLANK .	DD(MP	000025ED	00003808 00003808	0000121C / 0000121C (4636.) BYTE 0 NOPIC, L	SR, CON, REL, LCL, NOSHR,	EXE,	RD,	WRT, NOVEC

Page

Value

4

DE

Symbols By Name!

Symbol Value ATS UBA BUGS NOBUFPCKT COMSDELATINAST 00000001 00000280 8000E066 COMSDRVDEALMEM 8000E0F5 COMSFLUSHATTNS 8000E0B5 COMSPOST 8000E0E7 COMSSETATTNAST 8000E13B DCS SCOM DDCMP 00000020 000026B1-R 00002F48-R 000032CE-R DDCMP\$STOP TIMER DDCMP\$TIMER DDCMPSTIMER
DEF_BISYNC_PARAM
DEF_LAPB_PARAM
DEF_LINE_PARAM
DEF_SYNC_PARAM
DEF_TRIB_PARAM
DRIVER_END
DTS_DMF32
EXESABORTIO 00000186-R 000001AE-R 00000192-R 000001A6-R 00000188-R 00003809-R 000000A 80009010 **EXESALLOCBUF** 8000A875 **EXESALONONPAGED** 8000A901 EXESAL TOENOREPT EXESBUFFROUOTA 80002B88 8000A731 EXESBUFQUOPRC 8000A73D EXESFINISHIO 80009C2B **EXESFORK** 8000A048 EXESGL_ABSTIM EXESGL_TENUSEC EXESGL_UBDELAY EXESGQ_SYSTIME EXESINSTIMQ 80002B38 80002C50 80002C54 80002B40 80008A78 EXESQIORETURN 80009075 EXESREADCHK 80009502 EXESRMUTIMO 80008A9F EXESURITECHK 800095D8 80009644 **EXESURITECHKR** 8000D0B6 IOC\$ALOUBAMAP IOCSINITIATE 8000CF4C 80000B4E 8000CF43 IOC\$LOADUBAMAPA **IOCSANTVER** IOCSRELMAPREG 8000D28B 8000CEB4 8000D355 IOCSREGCOM IOCSRETURN IOCSUF IKPCH 8000D356 MMG\$GL_SPTBASE PR\$_IPE 80003F3C 00000012 SCHSGL PCBVEC SYSSK VERSION XGSDDT 80002988 48513258 00000070-R

Symbol Value Symbol

5

! Symbols By Value !

Symbols...

Value AT\$_UBA DT\$_DMF32 PR\$_IPL DC\$_SCOM R-XG\$DDT 00000001 000000A 00000012 00000020 00000070 R-XGSDDI R-DEF_TRIB_PARAM R-DEF_LINE_PARAM R-DEF_SYNC_PARAM R-DEF_LAPB_PARAM R-DEF_BISYNC_PARAM BUGS_NOBUFFCKT R-DDCMP 00000188 00000192 000001A6 000001AE 000001B6 00000280 000026B1 00002F48 000032CE R-DDCMP\$STOP_TIMER R-DDCMPSTIMER
R-DRIVER END
SYSSK VERSION
SCHSGL_PCBVEC
EXESGL_ABSTIM
EXESGQ_SYSTIME
EXESAL_TQENOREPT
EXESGL_UBDELAY
MMGSGL_SPTBASE
EXESINSTIMQ
EXESRMVTIMO R-DDCMPSTIMER 00003809 48513258 80002988 80002B38 80002B40 80002B88 80002C50 80002C54 80003F3C 80008A78 80008A9F EXESRMYTIMO 80009502 **EXESREADCHK** 80009508 EXESURITE CHK 80009644 **EXESURITECHKR** 80009010 EXESABORTIO 80009C2B 80009C75 EXESFINISHIO EXESQIORETURN 8000A048 EXESFORK 8000A731 **EXESBUFFRQUOTA** 8000A73D EXESBUFQUOPRC 8000A875 **EXESALLOCBUF** 8000A901 **EXESALONONPAGED** IOCSREGCOM IOCSMNTVER IOCSINITIATE IOCSALOUBAMAP 8000CEB4 8000CF43 8000CF4C 80000086 8000D28B 8000D355 8000D356 IOC\$RELMAPREG IOCSRETURN IOCSWFIKPCH 8000DB4E IOC \$LOADUBAMAPA 8000E066 COMSDELATINAST 8000E 085 COMSFLUSHATTNS 8000E0E7 8000E0F5 COMSPOST COMSDRVDEALMEM 8000E 13B COMSSETATTNAST

Value

Symbols...

Key for special characters above:

UndefinedUniversalRelocatable X - External

0000000

8

8

8898

```
VAX-11 Linker V04-00
                                                                                                                             Page
                                                    Image Synopsis!
Virtual memory allocated:
                                                   0000000 000039FF 00003A00 (14848. bytes, 29. pages)
Stack size:
                                                          0. pages
Image header virtual block limits:

 block)

Image binary virtual block limits:
                                                                             0. blocks)
                                                                     0. (
                                                   XGDRIVER VO4-000
Image name and identification:
Number of files:
Number of modules:
Number of program sections:
Number of global symbols:
Number of image sections:
Image type:
                                                   NOPIC, SHAREABLE, Global Section Match=EQUAL, Ident, Major=18, Minor=14956076
                                                   FULL in file _$255$DUA28: [DRIVER.LIS_XGDRIVER.MAP; 1
Map format:
Estimated map length:
                                                   26. blocks
                                                 Link Run Statistics!
Performance Indicators
                                                   Page Faults
                                                                 CPU Time
                                                                                  Elapsed Time
    Command processing:
                                                                 00:00:00.30
                                                                                  00:00:00.75
                                                                 00:00:01.59
    Pass 1:
                                                            71
                                                                                  00:00:13.84
    Allocation/Relocation:
                                                                 00:00:00.15
                                                                                  00:00:01.29
    Pass 2:
                                                                 00:00:00.69
                                                                                  00:00:03.69
                                                                 00:00:00.31
    Map data after object module synopsis:
                                                                                  00:00:00.47
    Symbol table output:
                                                                 00:00:00.06
                                                                                  00:00:00.81
Total run values:
                                                                                  00:00:20.85
                                                                 00:00:03.10
Using a working set limited to 600 pages and 77 pages of data storage (excluding image)
Total number object records read (both passes): 352
    of which 118 were in libraries and 4 were DEBUG data records containing 117 bytes
Number of modules extracted explicitly
    with 1 extracted to resolve undefined symbols
3 library searches were for symbols not in the library searched
A total of 4 global symbol table records was written
LINK/USERLIB=PROC/SHARE=EXES:XGDRIVER/CONTIGUOUS/MAP=MAPS:XGDRIVER/FULL LIBS:DRIVER/INCLUDE=(XGDRIVER,DDCMP),EXSM:SYS.STB/SELECTIVE,
SYS$INPUT/OPTION
BASE = 0
```

0106 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

